

ALWAYS CHECK THE OIL LEVEL WITH THE LIFTING ARM IN THE LOWEST POSITION

**Current models**

| Type                               | Litre | Type of oil      | Alternative | Correct oil level                    | Air connection |
|------------------------------------|-------|------------------|-------------|--------------------------------------|----------------|
| <b><u>Jacks, manual</u></b>        |       |                  |             |                                      |                |
| 2T-C                               | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 2T-F                               | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 2T-LF (2T-LF2)                     | 0,70  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 3T-C                               | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 4T-C                               | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 5T-C                               | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 6T-C                               | 1,00  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 8T-C                               | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 10T-C                              | 2,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 15T-C                              | 2,60  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 20T-C                              | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 1.5T-HC                            | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 2T-HC                              | 0,70  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 3T-HC                              | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 5T- HC G1                          | 2,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 8T-HC G2                           | 2,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| 10T-HC                             | 2,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| CFLJ-5                             | 0,80  | CASTROL - AWS 22 |             | 10 mm under the refilling hole       |                |
| <b><u>Jacks, air hydraulic</u></b> |       |                  |             |                                      |                |
| AV20-C                             | 1,00  | CASTROL - AWS 22 |             | Up to the edge of the refilling hole | 8 -10 bar      |
| A2510-C                            | 2,50  | CASTROL - AWS 22 |             | Up to the edge of the refilling hole | 8 -10 bar      |
| A3216-C                            | 1,90  | CASTROL - AWS 22 |             | Up to the edge of the refilling hole | 8 -10 bar      |
| A4411-C                            | 2,50  | CASTROL - AWS 22 |             | Up to the edge of the refilling hole | 8 -10 bar      |
| A4422-C                            | 2,50  | CASTROL - AWS 22 |             | Up to the edge of the refilling hole | 8 -10 bar      |

| Type                                    | Litre | Type of oil             | Alternative       | Correct oil level                   | Air connection |
|---|-------|-------------------------|-------------------|-------------------------------------|----------------|
| <b><u>Foot operated presses</u></b>     |       |                         |                   |                                     |                |
| FP16                                    |       | CASTROL - AWS 22        |                   |                                     |                |
| FP20 G2/G5                              | 2,25  | CASTROL - AWS 22        |                   |                                     |                |
| FP25 G2/G5                              | 2,25  | CASTROL - AWS 22        |                   |                                     |                |
| FP40                                    | 4,00  | CASTROL - AWS 22        |                   |                                     |                |
| FP50                                    | 4,00  | CASTROL - AWS 22        |                   |                                     |                |
| <b><u>Hand operated presses</u></b>     |       |                         |                   |                                     |                |
| HP20 G2/G5                              | 2,25  | CASTROL - AWS 22        |                   |                                     |                |
| HP25 G2/G5                              | 2,25  | CASTROL - AWS 22        | CASTROL - AWS 32  | 70 - 80 mm under the refilling hole |                |
| HP40                                    | 4,00  | CASTROL - AWS 22        | CASTROL - AWS 32  | 110 mm under the refilling hole     |                |
| HP50                                    | 4,00  | CASTROL - AWS 22        |                   |                                     |                |
| HP60                                    | 6,00  | CASTROL - AWS 22        | CASTROL - AWS 32  | 80 mm under the refilling hole      |                |
| HP70                                    | 6,00  | CASTROL - AWS 22        |                   |                                     |                |
| HP100 G3                                | 6,00  | CASTROL - AWS 22        | CASTROL - AWS 32  | 50 mm under the refilling hole      |                |
| <b><u>Electro-hydraulic presses</u></b> |       |                         |                   |                                     |                |
| EP40                                    | 10,00 | CASTROL - AWS 32        |                   |                                     |                |
| EP40 D                                  | 14,00 | CASTROL - AWS 32        |                   |                                     |                |
| EP60                                    | 15,00 | CASTROL - AWS 32        |                   |                                     |                |
| EP60 D                                  | 18,00 | CASTROL - AWS 32        |                   |                                     |                |
| EP100 D                                 | 27,00 | CASTROL - AWS 32        |                   |                                     |                |
| EP100-2D-320                            |       |                         |                   |                                     |                |
| <b><u>Other presses</u></b>             |       |                         |                   |                                     |                |
| AP20                                    | 1,50  | <b>CASTROL - AWS 10</b> |                   | 25 - 70 mm under the refilling hole | 6 - 8 bar      |
| CSC                                     | 0,00  | No oil in machine       | No oil in machine | No oil in machine                   |                |

| Type                             | Litre | Type of oil       | Alternative       | Correct oil level                    | Air connection |
|----------------------------------|-------|-------------------|-------------------|--------------------------------------|----------------|
| <b><u>Bottle jacks</u></b>       |       |                   |                   |                                      |                |
| CBJ 3                            | 0,09  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 5                            | 0,15  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 10                           | 0,24  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 15                           | 0,34  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 20                           | 0,47  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 25                           | 0,49  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 30                           | 0,55  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ 50                           | 0,85  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ-T4                           | 0,15  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| CBJ-T10                          | 0,65  | CASTROL - AWS 22  |                   | Up to the edge of the refilling hole |                |
| <b><u>Cranes</u></b>             |       |                   |                   |                                      |                |
| CC055                            |       | CASTROL - AWS 32  |                   | 10 mm under the refilling hole       |                |
| CC10 G4                          | 0,80  | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| CC15P                            | 1,50  | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| <b><u>Transmission jacks</u></b> |       |                   |                   |                                      |                |
| TJ300                            | 0,95  | CASTROL - AWS 32  |                   |                                      |                |
| TJ325 / TJ325 G2                 | 0,95  | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| TJ525 / TJ525 G2                 | 0,95  | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| TJ1000 G2                        | 0,95  | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| TJ-T1300 G3                      | 2,80  | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| TJ-T2000                         |       | CASTROL - AWS 32  |                   | Up to the edge of the refilling hole |                |
| <b><u>Wheel dollies</u></b>      |       |                   |                   |                                      |                |
| WD Mobile                        | 0,00  | No oil in machine | No oil in machine | No oil in machine                    |                |
| WD 60                            | 0,95  | CASTROL - AWS 22  |                   | 10 mm under the refilling hole       |                |
| WD 800                           | 0,50  | CASTROL - AWS 22  |                   | 10 mm under the refilling hole       |                |
| WD 1500 G3                       | 0,80  | CASTROL - AWS 22  |                   | 10 mm under the refilling hole       |                |

| Type                                     | Litre | Type of oil      | Alternative | Correct oil level        | Air connection |
|--|-------|------------------|-------------|--------------------------|----------------|
| <b><u>Hydraulic body repair kits</u></b> |       |                  |             |                          |                |
| CRK 4                                    | 0,50  | CASTROL - AWS 22 |             | Under the refilling hole |                |
| CRK 10                                   | 0,50  | CASTROL - AWS 22 |             | Under the refilling hole |                |
| <b><u>Other models</u></b>               |       |                  |             |                          |                |
| PT25-C                                   | 0,75  |                  |             |                          |                |

## **Old models**

| <b><u>Jacks, manuel</u></b> |      |                  |  |                                |  |
|-----------------------------|------|------------------|--|--------------------------------|--|
| 1T-2H                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,3T-H                      | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-1HL; 1,5T-2HL          | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-2                      | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-2S                     | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-C                      | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-H                      | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-HA                     | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5TH-LJ                    | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-H-US                   | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 1,5T-LJ                     | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-1B                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-1V                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-2HA                      | 0,70 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-2HA-B                    | 0,70 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-2L                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-2LS                      | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-2Q                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-4A                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-4B                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |
| 2T-4K                       | 0,50 | CASTROL - AWS 22 |  | 10 mm under the refilling hole |  |

| Type              | Litre | Type of oil      | Alternative | Correct oil level              | Air connection |
|-------------------|-------|------------------|-------------|--------------------------------|----------------|
| 2T-4KS            | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2T-4Q             | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2T-4Q-TE          | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2T-5H             | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2t-Au             | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2TK-5             | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2T-LJ             | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2TQ-LJ            | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2TQ-LJ-TE         | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2T-V; 2T-V-Boogie | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2,25T-2L          | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2,25T-4K          | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2,5T-1            | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2,5T-4K           | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2,5T-4Q           | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 2,5T-5H           | 1,00  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 3T-1B             | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 3T-5H             | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 3T-V              | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 4,5T-4            | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 4T-4              | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 5T-2QA            | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 5T-3Q-US-2        | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 6T-2H             | 1,40  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 6T-4              | 1,00  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 6T-K              | 0,90  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 6T-HC             | 1,40  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 7,5T-2H           | 1,40  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 7,5T-4            | 1,00  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 8T-1              | 1,00  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 10T-2A            | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 10T-4             | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 10T-4M            | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 10T-4-US-3        | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 10T-K             | 1,00  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 12T-2             | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 15T-2             | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 15T-2M            | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| 20T-1M            | 2,25  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| ALU-C G1/G2       | 0,50  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |
| CFLJ-4            | 0,80  | CASTROL - AWS 22 |             | 10 mm under the refilling hole |                |

| Type                                | Litre | Type of oil      | Alternative      | Correct oil level                    | Air connection |
|-------------------------------------|-------|------------------|------------------|--------------------------------------|----------------|
| <b><u>Jacks, air hydraulic</u></b>  |       |                  |                  |                                      |                |
| A2-2; A3-2                          | 0,50  | CASTROL - AWS 22 |                  | 65 mm under the refilling hole       | 8 - 10 bar     |
| A2510-3; A2510-4                    | 1,90  | CASTROL - AWS 22 |                  | Up to the edge of the refilling hole | 8 - 10 bar     |
| A4020-1                             | 1,90  | CASTROL - AWS 22 |                  | Up to the edge of the refilling hole | 8 - 10 bar     |
| AM5 1,5T-F                          | 0,55  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 2,5T-5H                         | 1,50  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 3T-C                            | 0,55  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 3T-5H                           | 1,50  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 4T-4                            | 1,50  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 5T-3QA                          | 1,50  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 5T-3Q-US-2                      | 1,50  | CASTROL - AWS 22 |                  | 10 mm under the refilling hole       | 8 - 10 bar     |
| AM5 10T-2-US                        | 2,50  | CASTROL - AWS 22 |                  | 30 mm under the refilling hole       | 8 - 10 bar     |
| AM5 10T-4                           | 2,50  | CASTROL - AWS 22 |                  | 30 mm under the refilling hole       | 8 - 10 bar     |
| AM5 15T-2                           | 2,50  | CASTROL - AWS 22 |                  | 30 mm under the refilling hole       | 8 - 10 bar     |
| AM5 18T-1                           | 2,50  | CASTROL - AWS 22 |                  | 30 mm under the refilling hole       | 8 - 10 bar     |
| AM5-18T-2L                          | 2,50  | CASTROL - AWS 22 |                  | 30 mm under the refilling hole       | 8 - 10 bar     |
| AM5 20T-1-US                        | 2,50  | CASTROL - AWS 22 |                  | 30 mm under the refilling hole       | 8 - 10 bar     |
| AV20-2; A4020-2                     | 1,90  | CASTROL - AWS 22 |                  | Up to the edge of the refilling hole | 8 - 10 bar     |
| AV22-2; AV20-3                      | 1,90  | CASTROL - AWS 22 |                  | Up to the edge of the refilling hole | 8 - 10 bar     |
| <b><u>Foot operated presses</u></b> |       |                  |                  |                                      |                |
| FP20-AA/AR                          | 2,25  | CASTROL - AWS 22 | CASTROL - AWS 32 | 70 - 80 mm under the refilling hole  | 6 - 8 bar      |
| <b><u>Hand operated presses</u></b> |       |                  |                  |                                      |                |
| HP15                                | 1,50  | CASTROL - AWS 22 | CASTROL - AWS 32 |                                      |                |
| HP20-AR                             | 2,25  | CASTROL - AWS 22 | CASTROL - AWS 32 | 70 - 80 mm under the refilling hole  |                |
| HP20-AA/AR                          | 2,25  | CASTROL - AWS 22 | CASTROL - AWS 32 | 70 - 80 mm under the refilling hole  | 6 - 8 bar      |
| HP25                                | 3,00  | CASTROL - AWS 22 | CASTROL - AWS 32 |                                      |                |
| HP25-1 (with 15T pump)              | 1,50  | CASTROL - AWS 22 | CASTROL - AWS 32 |                                      |                |
| HP25 Junior                         | 2,25  | CASTROL - AWS 22 | CASTROL - AWS 32 | 70 - 80 mm under the refilling hole  |                |
| HP100 G1                            | 10,00 | CASTROL - AWS 22 | CASTROL - AWS 32 | 40 mm under the refilling hole       |                |
| HP125                               | 10,00 | CASTROL - AWS 22 | CASTROL - AWS 32 |                                      |                |

| Type                                    | Litre | Type of oil             | Alternative      | Correct oil level                        | Air connection |
|---|-------|-------------------------|------------------|--|----------------|
| <b><u>Electro-hydraulic presses</u></b> |       |                         |                  |  |                |
| EP25-1/ EP25-1D/ EP25-1D-3/ EP25-1D-4   | 14,00 | CASTROL - AWS 32        |                  |  |                |
| EP100-2/ EP100-2D-3/ EP100-2D-4         | 27,00 | CASTROL - AWS 32        |                  |  |                |
| EP125-2/ EP125-2D-3/ EP125-2D-4         | 27,00 | CASTROL - AWS 32        |                  |  |                |
| EP(MP)150-2D-4                          | 30,00 | CASTROL - AWS 32        |                  |  |                |
| EP40-1/ EP40-1D/ EP40-1D-3/ EP40-1D-4   | 14,00 | CASTROL - AWS 32        |                  |  |                |
| EP60-1                                  | 14,00 | CASTROL - AWS 32        |                  |  |                |
| EP60-2/ EP60-2D-3/ EP60-2D-4            | 27,00 | CASTROL - AWS 32        |                  |  |                |
| MDP10-1                                 | 14,00 | CASTROL - AWS 32        |                  |  |                |
| MPC10-1/ MPC10-1-H/ MPC10-1D/ MPC10-1D- | 11,00 | CASTROL - AWS 32        |                  |  |                |
| MPC25-1/ MPC25-1D/ MPC25-1D-3           | 11,00 | CASTROL - AWS 32        |                  |  |                |
| MPC40-1/ MPC40-1D/ MPC40-1D-3           | 11,00 | CASTROL - AWS 32        |                  |  |                |
| <b><u>Other presses</u></b>             |       |                         |                  |  |                |
| ABP20                                   | 1,50  | <b>CASTROL - AWS 10</b> |                  | 25 - 70 mm under the refilling hole      | 6 - 8 bar      |
| ADP10                                   | 1,50  | <b>CASTROL - AWS 10</b> |                  | 25 - 70 mm under the refilling hole      | 6 - 8 bar      |
| AP15                                    | 1,50  | <b>CASTROL - AWS 10</b> |                  | 25 - 70 mm under the refilling hole      | 6 - 8 bar      |
| BP15                                    | 2,25  | CASTROL - AWS 22        | CASTROL - AWS 32 | 70 - 80 mm under the refilling hole      |                |
| DP10-B2, DP6-B2                         | 1,25  | CASTROL - AWS 22        | CASTROL - AWS 32 |  |                |
| <b><u>Jacking beams</u></b>             |       |                         |                  |  |                |
| JB20-3                                  | 0,50  | CASTROL - AWS 22        |                  |  |                |
| JB26-3                                  | 0,50  | CASTROL - AWS 22        |                  |  |                |
| JB20A-5                                 | 0,50  | CASTROL - AWS 22        |                  | 95 - 100mm - Safety stop i top position. | 8 - 10 bar     |
| JB26A-5C                                | 0,50  | CASTROL - AWS 22        |                  | 95 - 100mm - Safety stop i top position. | 8 - 10 bar     |
| <b><u>Cranes</u></b>                    |       |                         |                  |  |                |
| CC05/ CC05P; CC05-J                     | 0,80  | CASTROL - AWS 32        |                  | Up to the edge of the refilling hole     |                |
| CC10L                                   | 0,80  | CASTROL - AWS 32        |                  | Up to the edge of the refilling hole     |                |

| Type                             | Litre  | Type of oil                 | Alternative | Correct oil level                    | Air connection |
|----------------------------------|--------|-----------------------------|-------------|--------------------------------------|----------------|
| <b><u>Transmission jacks</u></b> |        |                             |             |                                      |                |
| TJ-T750                          |        |                             |             |                                      |                |
| TJ1000 G1                        | 0,95   | CASTROL - AWS 32            |             | Up to the edge of the refilling hole |                |
| TJ-T1300 G2                      | 2,80   | CASTROL - AWS 32            |             | Up to the edge of the refilling hole |                |
| Ugået Typer                      |        |                             |             |                                      |                |
| MP 1 trins                       | 14,00  | CASTROL - AWS 22            |             |                                      |                |
| MP 2 trins                       | 30,00  | CASTROL - AWS 22            |             |                                      |                |
| TH 450 LH                        | 0,2 ?? | CASTROL - AWS 22            |             | Up to the edge of the refilling hole |                |
| 650-1                            | 2,00   | CASTROL - AWS 22            |             | Up to the edge of the refilling hole |                |
|                                  |        | Viskositet 22 ved 40 grader |             |                                      |                |
| <b><u>Wheel Dollies</u></b>      |        |                             |             |                                      |                |
| WD 1500 G2                       | 0,80   | CASTROL - AWS 22            |             | 10 mm under the refilling hole       |                |
| <b><u>Other models</u></b>       |        |                             |             |                                      |                |
| CPT 22                           | 0,75   |                             |             |                                      |                |
| CPT 25                           | 0,75   |                             |             |                                      |                |

Updated 100322